

IN THE CLAIMS

Please amend the claims as specified in the following claim listing:

1. (ORIGINAL) A method for generating a 2D view of a 3D model, said 3D model comprising at least one object, said method comprising, for at least one object of said 3D model, the steps of:

testing whether or not a predefined 2D representation of said object is available for said 2D view,

if said 2D representation is available, using this 2D representation in said 2D view, and

if said 2D representation is not available, calculating a 2D projection of said object and using this 2D projection in said 2D view.

2. (CURRENTLY AMENDED) A method according to claim 1,
wherein said predefined 2D representation of said object is ~~a symbolic representation of said object~~
different from any calculated 2D projection of said object.

3. (ORIGINAL) The method of claim 1,
wherein the kind of said 2D view to be generated is taken into account when testing whether or not said predefined 2D representation of said object is present.

4. (ORIGINAL) The method of claim 1,
wherein lines of said predefined 2D representation of said object are suppressed in said 2D view in so far as said lines are hidden by said object or by other objects of said 3D model, wherein the classification of a line as hidden or visible takes place depending on at least one criterion taken of the group of criteria comprising the kind of said object and the kind of said 2D view and properties of other objects in said 3D model.

5. (ORIGINAL) The method according to claim 1,
wherein lines of said object or of other objects of said 3D model are suppressed in said 2D view in so far as said lines are hidden by said predefined 2D representation of said object, wherein the classification of a line as hidden or visible takes place depending on at least one criterion taken

from the group of criteria comprising the kind of said object and the kind of said 2D view and properties of other objects in said 3D model.

6. (CURRENTLY AMENDED) The method according to claim 1,
wherein said predefined 2D representation of said object is used arranged as a flat object when generating said 2D view both in a direction of a plane of said 2D view and in a direction perpendicular thereto.

7. (ORIGINAL) The method of claim 6,
wherein the position of said flat object is determined depending on at least one criterion taken from the group of criteria comprising the kind of said object and the kind of said 2D view and properties of other objects in said 3D model.

8. (ORIGINAL) The method of claim 1,
wherein said predefined 2D representation is subjected to an affine transformation when generating said 2D view.

9. (ORIGINAL) The method of claim 1,
wherein said object represents one of a part and a feature of a part and a group of parts.

10. (ORIGINAL) A computer program product for execution by a computer for generating a 2D view of a 3D model, said 3D model comprising at least one object, said computer program product comprising computer instructions that cause said computer to perform, for at least one object of said 3D model, the steps of:

testing whether or not a predefined 2D representation of said object is available for said 2D view,

if said 2D representation is available, using this 2D representation in said 2D view, and

if said 2D representation is not available, calculating a 2D projection of said object and using this 2D projection in said 2D view.

11. (ORIGINAL) The computer program product of claim 10,
wherein the kind of said 2D view to be generated is taken into account when testing whether
or not said predefined 2D representation of said object is present.

12. (ORIGINAL) The computer program product of claim 10,
wherein lines of said predefined 2D representation of said object are suppressed in said 2D
view in so far as said lines are hidden by said object or by other objects of said 3D model, wherein
the classification of a line as hidden or visible takes place depending on at least one criterion taken
of the group of criteria comprising the kind of said object and the kind of said 2D view and
properties of other objects in said 3D model.

13. (ORIGINAL) The computer program product of claim 10,
wherein lines of said object or of other objects of said 3D model are suppressed in said 2D
view in so far as said lines are hidden by said predefined 2D representation of said object, wherein
the classification of a line as hidden or visible takes place depending on at least one criterion taken
from the group of criteria comprising the kind of said object and the kind of said 2D view and
properties of other objects in said 3D model.

14. (CURRENTLY AMENDED) The computer program product of claim 10,
wherein said predefined 2D representation of said object is used arranged as a flat object
when generating said 2D view both in a direction of a plane of said 2D view and in a direction
perpendicular thereto.

15. (ORIGINAL) The computer program product of claim 10,
wherein said predefined 2D representation is subjected to an affine transformation when
generating said 2D view.

16. (ORIGINAL) An apparatus comprising at least one computer, said computer being
programmed for generating a 2D view of a 3D model, said 3D model comprising at least one object,
said computer being programmed for executing, for at least one object of the 3D model, the steps
of:

testing whether or not a predefined 2D representation of said object is available for said 2D view,

if said 2D representation is available, using this 2D representation in said 2D view, and
if said 2D representation is not available, calculating a 2D projection of said object and using this 2D projection in said 2D view.

17. (ORIGINAL) The apparatus of claim 16,
wherein the kind of said 2D view to be generated is taken into account when testing whether or not said predefined 2D representation of said object is present.

18. (ORIGINAL) The apparatus of claim 16,
wherein lines of said predefined 2D representation of said object are suppressed in said 2D view in so far as said lines are hidden by said object or by other objects of said 3D model, wherein the classification of a line as hidden or visible takes place depending on at least one criterion taken of the group of criteria comprising the kind of said object and the kind of said 2D view and properties of other objects in said 3D model.

19. (ORIGINAL) The apparatus of claim 16,
wherein lines of said object or of other objects of said 3D model are suppressed in said 2D view in so far as said lines are hidden by said predefined 2D representation of said object, wherein the classification of a line as hidden or visible takes place depending on at least one criterion taken from the group of criteria comprising the kind of said object and the kind of said 2D view and properties of other objects in said 3D model.

20. (CURRENTLY AMENDED) The apparatus of claim 16,
wherein said predefined 2D representation of said object is used arranged as a flat object when generating said 2D view both in a direction of a plane of said 2D view and in a direction perpendicular thereto.

21. (ORIGINAL) The apparatus of claim 16,
wherein said predefined 2D representation is subjected to an affine transformation when
generating said 2D view.

22. (NEW) The computer program product of claim 10,
wherein said predefined 2D representation of said object is different from any calculated 2D
projection of said object.

23. (NEW) The apparatus of claim 16,
wherein said predefined 2D representation of said object is different from any calculated 2D
projection of said object.